



JTRS Hand Held & Small Form Fit – Legacy & Stryker Scout PLT

All leaders with JTRS will be expected to communicate with all supporting forces (Aviation, Combat Support, Combat Service Support) in their battlespace.




Note: OV-1 represents Bradley, Stryker, & HMMWV-equipped scout platoons.



JTRS Small Form Fit SFF
 JTRS Hand Held HH - - - - -

JTRS Vehicle Mounted, Hand Held, & Small Form Fit – RECON DET (Blow-up of the Scout Plt)

Conceptually, some or all of the dismounted requirements should be filled with SFF if digitized voice can be transmitted over SFF in a hands free environment.



RECON DET HQ



JTRS Small Form Fit SFF
 JTRS Hand Held JTRS/HH - - - -

All leaders with JTRS will be expected to communicate with all supporting forces (Aviation, NLOS, MI, SIG, FSB) in their battlespace.

JTRS Hand Held & Small Form Fit – UA INF CO (Blow-up of INF PLT)

JTRS Small Form Fit SFF
 JTRS Hand Held JTRS/HH - - - -


Conceptually, some or all of the dismounted requirements should be filled with SFF if digitized voice can be transmitted over SFF in a hands free environment.



All leaders with JTRS will be expected to communicate with all supporting forces (Aviation, NLOS, MI, SIG, FSB) in their battlespace.

JTRS Hand Held & Small Form Fit – UA AVN DET

JTRS Small Form Fit SFF
JTRS Hand Held JTRS/HH - - - -



AVN OPS
C2V

RAH-66
Comanche



UAS CL IV
GCS

JTRS
INF, RECON,
SOF Soldier

UAS CL IV



Small Form Fit

UAS CL IV



UAS CL IV




RAH-66
Comanche



Conceptually, some or all of the dismounted requirements should be filled with SFF if digitized voice can be transmitted over SFF in a hands free environment.

All leaders with JTRS will be expected to communicate with all supporting forces (Ground Maneuver, NLOS, MI, SIG, FSB) in their battlespace.

JTRS Hand Held & Small Form Fit – UA NLOS BN




Note: NLOS Radar trailers are positioned throughout the UA's AO according to METT-TC.

All leaders with JTRS will be expected to communicate with all supporting forces (Aviation, Ground Maneuver, MI, SIG, FSB) in their battlespace.


JTRS Small Form Fit SFF

JTRS Small Form Fit UA MCS COMPANY

All leaders with JTRS will be expected to communicate with all supporting forces (Aviation, NLOS, MI, SIG, FSB) in their battlespace.



JTRS Small Form Fit FSB BATTALION



All leaders with JTRS will be expected to communicate with all supporting forces (Ground Maneuver, Aviation, NLOS, MI, SIG, in their battlespace.

NOTE: This slide does not depict the CSS handheld requirements nor does it identify all of the SFF that may be required in their organizations